

PTO-1449

U.S. DEPARTMENT OF COMMERCE  
PATENT AND TRADEMARK OFFICEATTY. DOCKET NO.  
22156.NPSERIAL NO.  
10/712,073

## LIST OF PRIOR ART CITED BY APPLICANT

NOV 01 2004

2003

PATENT &amp; TRADEMARK OFFICE

APPLICANT Beth E. Drees, et al

FILING DATE  
11/13/2003GROUP  
1641

## U.S. PATENT DOCUMENTS

| EXAMINER INITIALS |    | DOCUMENT NUMBER | DATE       | NAME         | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
|-------------------|----|-----------------|------------|--------------|-------|----------|----------------------------|
| /GC/              | A1 | 2002/0028477    | 07.03.2002 | Goueli et al |       |          |                            |
|                   | A2 | 2003/0100028    | 29.05.2003 | Drees et al  |       |          |                            |
|                   | A3 | 5,798,447       | 25.08.1998 | Chen         |       |          |                            |
|                   | A4 | 6,001,354       | 14.12.1999 | Pot et al    |       |          |                            |
| ▼                 | A5 | 6,348,580       | 19.02.2002 | Fukui et al  |       |          |                            |
| /GC/              | A6 | 6,709,833       | 23.03.2004 | Fukui et al  |       |          |                            |

## FOREIGN PATENT DOCUMENTS

| EXAMINER INITIALS |    | DOCUMENT NUMBER | DATE       | COUNTRY | CLASS | SUBCLASS | TRANSLATION YES NO |
|-------------------|----|-----------------|------------|---------|-------|----------|--------------------|
| /GC/              | A7 | 2001-69977      | 21.03.2001 | JP      |       |          |                    |
| /GC/              | A8 | 2000-83664      | 28.03.2000 | JP      |       |          |                    |
| /GC/              | A9 | 1-168299 A      | 03.07.1989 | JP      |       |          |                    |

## OTHER PRIOR ART (Including Author, Title, Pertinent Pages, Etc.)

|      |     |   |
|------|-----|---|
| /GC/ | A10 | Martin, T., Phosphoinositide Lipids as Signaling Molecules: Common Themes for Signal Transduction, Cytoskeletal Regulation, and Membrane Trafficking, <i>Annu Rev Cell Dev Biol</i> , Vol 14, 231-64 (1998)             |
|      | A11 | Leslie, N. et al, Phosphoinositide-Regulated Kinases and Phosphoinositide Phosphatases, <i>Chem Rev</i> , Vol 101, 2365-2380 (2001)   |
|      | A12 | Vanhaesebroeck, B. et al, Phosphoinositide 3-kinases: a conserved family of signal transducers, <i>Trends Biochem Sci</i> , Vol 22, 267-72 (1997)   |
|      | A13 | MacDougall, L. et al, A family of phosphoinositide 3-kinases in Drosophila identifies a new mediator of signal transduction, <i>Current Biology</i> , Vol 5, No. 12, 1404-15 (1995)                                     |
|      | A14 | Carpenter, C. et al, Phosphoinositide 3-kinase and the regulation of cell growth, <i>Biochimica Biophysica Acta</i> 1288 (1996) M11-M16   |
|      | A15 | Carpenter, C. et al, Phosphoinositide Kinases, <i>Curr Opin Cell Biol</i> , Vol 8, 153-8 (1996)   |
|      | A16 | Datta, K. et al, Akt Is a Direct Target of the Phosphatidylinositol 3-Kinase. Activation by Growth Factors, v-src and v-Ha-ras, In Sf9 and Mammalian Cells, <i>J Biol Chem</i> , Vol 271, 30835-9 (1996)                |
|      | A17 | Franke, T. et al, PI3K: Downstream AKTion Blocks Apoptosis, <i>Cell</i> , Vol 88, 435-7 (1997)  |
|      | A18 | Franke, T. et al, The Protein Kinase Encoded by the Akt Proto-Oncogene is a Target of the PDGF-Activated Phosphatidylinositol 3-Kinase, <i>Cell</i> , Vol 81, 727-36 (1995)   |
|      | A19 | Czech, M. et al, Signaling Mechanisms that Regulate Glucose Transport, <i>J Biol Chem</i> Vol 274, No. 4, 1865-8 (1999)   |
| ▼    | A20 | Okada, T. et al, Essential Role of Phosphatidylinositol 3-Kinase in Insulin-induced Glucose Transport and Antilipolysis in Rat Adipocytes, <i>J Biol Chem</i> Vol 269, No. 5, 3568-73 (1994)                            |
| /GC/ | A21 | Cheatham, B. et al, Phosphatidylinositol 3-Kinase Activation is Required for Insulin Stimulation of pp70 S6 Kinase, DNA Synthesis, and Glucose Transporter Translocation, <i>Mol Cell Biol</i> , Vol 14, 4902-11 (1994) |

|   |  |                              |                          |
|---|--|------------------------------|--------------------------|
| PTO-1449                                    | U.S. DEPARTMENT OF COMMERCE<br>PATENT AND TRADEMARK OFFICE | ATTY. DOCKET NO.<br>22156.NP | SERIAL NO.<br>10/712,073 |
| <b>LIST OF PRIOR ART CITED BY APPLICANT</b> |  | APPLICANT                    | Beth E. Drees, et al     |
|   |  | FILING DATE<br>11/13/2003    | GROUP<br>1641            |

|      |     |  |
|------|-----|--|
| /GC/ | A22 | Tanti, J. et al, Potential Role of Protein Kinase B in Glucose Transporter 4 Translocation in Adipocytes, <i>Endocrinology</i> 138, 2005-10 (1997)   |
|      | A23 | Hara, K. et al, 1-Phosphatidylinositol 3-kinase activity is required for insulin-stimulated glucose transport but not for RAS activation in CHO cells, <i>Proc Natl Acad Sci USA</i> , Vol 91, 7415-9 (1994)                       |
|      | A24 | Cusi, K. et al, Insulin resistance differentially affects the PI 3-kinase--and MAP kinase--mediated signaling in human muscle, <i>J Clin Invest</i> , Vol 105, 311-20 (2000)   |
|      | A25 | Krook, A. et al, Characterization of Signal Transduction and Glucose Transport in Skeletal Muscle From Type 2 Diabetic Patients, <i>Diabetes</i> , Vol 49, 284-92 (2000)   |
|      | A26 | Cho, H. et al, Insulin Resistance and a Diabetes Mellitus-like Syndrome in Mice Lacking the Protein Kinase Akt2 (PKB $\beta$ ), <i>Science</i> , Vol 292, 1728-31 (2001)   |
|      | A27 | Krook, A. et al, Insulin-Stimulated Akt Kinase Activity is Reduced in Skeletal Muscle From NIDDM Subjects, <i>Diabetes</i> , Vol. 47, 1281-6 (1998)  |
|      | A28 | Vollenweider, P. et al, An SH2 Domain-Containing 5' Inositolphosphatase Inhibits Insulin-Induced GLUT4 Translocation and Growth Factor-Induced Actin Filament Rearrangement, <i>Mol Cell Biol</i> , Vol 19, No. 2, 1081-91 (1999)  |
|      | A29 | Roymans, D. et al, Phosphatidylinositol 3-kinases in tumor progression, <i>Eur J Biochem</i> , Vol. 268, 487-98 (2001)   |
|      | A30 | King, W. et al, Phosphatidylinositol 3-Kinase is Required for Integrin-Stimulated AKT and Raf-1/Mitogen-Activated Protein Kinase Pathway Activation, <i>Mol Cell Biol</i> , Vol 17, No. 8, 4406-18 (1997)                          |
|      | A31 | Kim, D. et al, Akt/PKB promotes cancer cell invasion via increased motility and metalloproteinase production, <i>Faseb J</i> , Vol 15, 1953-62 (2001)  |
|      | A32 | Phillips, W. et al, Increased Levels of Phosphatidylinositol 3-Kinase Activity in Colorectal Tumors, <i>American Cancer Society</i> , Vol 83, 41-7 (1998)  |
|      | A33 | Klippel, A. et al, Activation of Phosphatidylinositol 3-Kinase is Sufficient for Cell Cycle Entry and Promotes Cellular Changes Characteristic of Oncogenic Transformation, <i>Mol Cell Biol</i> , Vol 18, No. 10, 5699-711 (1998) |
|      | A34 | Ma, Yen-Ying et al, PIK3CA as an oncogene in cervical cancer, <i>Oncogene</i> , Vol 19, 2739-44 (2000)   |
|      | A35 | Shayesteh, L. et al, PIK3CA is implicated as an oncogene in ovarian cancer, <i>Nat Genet</i> , Vol 21, 99-102 (1999)   |
|      | A36 | Maehama, T. et al, The Tumor Suppressor, PTEN/MMAC1, Dephosphorylates the Lipid Second Messenger, Phosphatidylinositol 3,4,5, Trisphosphate, <i>J Biol Chem</i> , Vol 273, 13375-8 (1998)  |
|      | A37 | Maehama, T. et al, PTEN: a tumour suppressor that functions as a phospholipid phosphatase, <i>Trends Cell Biol</i> , Vol. 9, 125-8 (1999)  |
|      | A38 | Tamura, M. et al, PTEN Interactions with Focal Adhesion Kinase and Suppression of the Extracellular Matrix-dependent Phosphatidylinositol 3-Kinase/Akt Cell Survival Pathway, <i>J Biol Chem</i> , Vol 274, 20693-703 (1999)       |
|      | A39 | Cantley, L. et al, New insights into tumor suppression: PTEN suppresses tumor formation by restraining the phosphoinositide 3-kinase/AKT pathway, <i>Proc Natl Acad Sci USA</i> , Vol 96, 4240-5 (1999)                            |
|      | A40 | Haas-Kogan, D. et al, Protein kinase B (PKB/Akt) activity is elevated in glioblastoma cells due to mutation of the tumor suppressor PTEN/MMAC, <i>Curr Biol</i> , Vol 8, 1195-8 (1998)   |
|      | A41 | Wen, S. et al, PTEN controls tumor-induced angiogenesis, <i>Proc Natl Acad Sci USA</i> , Vol 98, 4622-7 (2001)   |
| ↓    | A42 | Li, J. et al, PTEN, a Putative Protein Tyrosine Phosphatase Gene Mutated in Human Brain, Breast, and Prostate Cancer, <i>Science</i> , Vol 275, 1943-7 (1997)  |
| /GC/ | A43 | Teng, D. et al, MMAC1/PTEN Mutations in Primary Tumor Specimens and Tumor Cell Lines, <i>Cancer Res</i> , Vol 57, 5221-5 (1997)  |

|   |  |                              |                          |
|---|--|------------------------------|--------------------------|
| PTO-1449                                    | U.S. DEPARTMENT OF COMMERCE<br>PATENT AND TRADEMARK OFFICE | ATTY. DOCKET NO.<br>22156.NP | SERIAL NO.<br>10/712,073 |
| <b>LIST OF PRIOR ART CITED BY APPLICANT</b> |  | APPLICANT                    | Beth E. Drees, et al     |
|   |  | FILING DATE<br>11/13/2003    | GROUP<br>1641            |

|      |     |   |
|------|-----|---|
| /GC/ | A44 | Dahia, P. et al, PTEN is inversely correlated with the cell survival factor Akt/PKB and is inactivated via multiple mechanisms in haematological malignancies, <i>Hum Mol Genet</i> , Vol 8, 185-93 (1999)  |
|      | A45 | Birck, A. et al, Mutation and Allelic Loss of the PTEN/MMAC1 Gene in Primary and Metastatic Melanoma Biopsies, <i>J Invest Dermatol</i> , Vol 114, 277-80 (2000)  |
|      | A46 | Liaw, D. et al, Germline mutations of the PTEN gene in Cowden disease, an inherited breast and thyroid cancer syndrome, <i>Nature Genetics</i> , Vol 16, 64-7 (1997)  |
|      | A47 | Marsh, D. et al, Allelic Imbalance, Including Deletion of PTEN/MMAC1, at the Cowden Disease Locus on 10q22-23, in Hamartomas From Patients with Cowden Syndrome and Germline PTEN Mutation, <i>Genes Chromosomes Cancer</i> , Vol 21, 61-9 (1998) |
|      | A48 | Marsh, D. et al, Mutation spectrum and genotype-phenotype analyses in Cowden disease and Bannayan-Zonana syndrome, two hamartoma syndromes with germline PTEN mutation, <i>Hum Mol Genet</i> , Vol 7, 507-15 (1998)                               |
|      | A49 | Marsh, D. et al, Germline mutations in PTEN are present in Bannayan-Zonana syndrome, <i>Nat Genet</i> , Vol 16, 333-4 (1997)  |
|      | A50 | Nakashima, N. et al, The Tumor Suppressor PTEN Negatively Regulates Insulin Signaling in 3T3-L1 Adipocytes, <i>J Biol Chem</i> , Vol 275, 12889-95 (2000)   |
|      | A51 | Iida, S. et al, Accelerated Decline of Blood Glucose After Intravenous Glucose Injection in a Patient with Cowden Disease Having a Heterozygous Germline Mutation of the PTEN/MMAC1 Gene, <i>Anticancer Research</i> , Vol 20, 1901-4 (2000)      |
|      | A52 | Butler, M. et al, Specific Inhibition of PTEN Expression Reverses Hyperglycemia in Diabetic Mice, <i>Diabetes</i> , Vol 51, 1028-34 (2002)  |
|      | A53 | Lioubin, M. et al, p150 <sup>SHIP</sup> , a signal transduction molecule with inositol polyphosphate-5-phosphatase activity, <i>Genes &amp; Dev</i> , Vol 10, 1084-95 (1996)  |
|      | A54 | Damen, J. et al, The 145-kDa protein induced to associate with Shc by multiple cytokines is an inositol tetraphosphate and phosphatidylinositol 3,4,5-trisphosphate 5-phosphatase, <i>Proc Natl Acad Sci USA</i> , Vol. 93, 1689-93 (1996)        |
|      | A55 | Liu, Q. et al, The SH2-Containing Inositol Polyphosphate 5-Phosphatase, Ship, is Expressed During Hematopoiesis and Spermatogenesis, <i>Blood</i> , Vol 91, 2753-9 (1998)   |
|      | A56 | Liu, Q. et al, SHIP is a negative regulator of growth factor receptor-mediated PKB/Akt activation and myeloid cell survival, <i>Genes &amp; Dev</i> , Vol 13, 786-91 (1999)   |
|      | A57 | Aman, M. et al, The Inositol Phosphatase SHIP Inhibits Akt/PKB Activation in B Cells, <i>J Biol Chem</i> , Vol 273, 33922-8 (1998)  |
|      | A58 | Helgason, C. et al, Targeted disruption of ShIP leads to hemopoietic perturbations, lung pathology, and a shortened life span, <i>Genes &amp; Dev</i> , Vol 12, 1610-20 (1998)  |
|      | A59 | Brauweiler, A. et al, Differential Regulation of B Cell Development, Activation, and Death by the Src Homology 2 Domain-containing 5' Inositol Phosphatase (SHIP), <i>J Exp Med</i> , Vol 191, 1545-54 (2000)                                     |
|      | A60 | Liu, Q. et al, The Inositol Polyphosphate 5-Phosphatase Ship Is a Crucial Negative Regulator of B Cell Antigen Receptor Signaling, <i>J Exp Med</i> , Vol 188, 1333-42 (1998)   |
|      | A61 | Rohrschneider, L. et al, Structure, function, and biology of SHIP proteins, <i>Genes &amp; Dev</i> , Vol 14, 505-20 (2000)  |
|      | A62 | Brauweiler, A. et al, Bilevel control of B-cell activation by the inositol 5-phosphatase SHIP, <i>Immunological Reviews</i> , Vol 176, 69-74 (2000)   |
| ↓    | A63 | Bolland, S. et al, SHIP Modulates Immune Receptor Responses by Regulating Membrane Association of Btk, <i>Immunity</i> , Vol 8, 509-16 (1998)   |
| /GC/ | A64 | Huber, M. et al, The src homology 2-containing inositol phosphatase (SHIP) is the gatekeeper of mast cell degranulation, <i>Proc Natl Acad Sci USA</i> , Vol 95, 11330-5 (1998)   |

|   |  |                              |                          |
|---|--|------------------------------|--------------------------|
| PTO-1449                                    | U.S. DEPARTMENT OF COMMERCE<br>PATENT AND TRADEMARK OFFICE | ATTY. DOCKET NO.<br>22156.NP | SERIAL NO.<br>10/712,073 |
| <b>LIST OF PRIOR ART CITED BY APPLICANT</b> |  | APPLICANT                    | Beth E. Drees, et al     |
|   |  | FILING DATE<br>11/13/2003    | GROUP<br>1641            |

|      |     |  |
|------|-----|--|
| /GC/ | A65 | Huber, M. et al, Targeted disruption of SHIP leads to Steel factor-induced degranulation of mast cells, <i>Embo J</i> , Vol 17, 7311-9 (1998)  |
|      | A66 | Pesesse, X. et al, Identification of a Second SH2-Domain-Containing Protein Closely Related to the Phosphatidylinositol Polyphosphate 5-Phosphatase SHIP, <i>Biochem Biophys Res Commun</i> , Vol 239, 697-700 (1997)  |
|      | A67 | Ishihara, H. et al, Molecular Cloning of Rat SH2-Containing Inositol Phosphatase 2 (SHIP2) and Its Role in the Regulation of Insulin Signaling, <i>Biochem Biophys Res Commun</i> , Vol 260, 265-72 (1999)   |
|      | A68 | Muraille, E. et al, Distribution of the Src-homology-2-domain-containing inositol 5-phosphatase SHIP-2 in both non-haemopoietic and haemopoietic cells and possible involvement of SHIP-2 in negative signalling of B-cells, <i>Biochem J</i> , Vol 342 Pt 3, 697-705 (1999) |
|      | A69 | Habib, T. et al, Growth Factors and Insulin Stimulate Tyrosine Phosphorylation of the 51C/SHIP2 Protein, <i>J Biol Chem</i> , Vol 273, 18605-9 (1998)  |
|      | A70 | Clement, S. et al, The lipid phosphatase SHIP2 controls insulin sensitivity, <i>Nature</i> , Vol 409, 92-7 (2001)  |
|      | A71 | Wada, T. et al, Overexpression of SH2-Containing Inositol Phosphatase 2 Results in Negative Regulation of Insulin-Induced Metabolic Actions in 3T3-L1 Adipocytes via Its 5'-Phosphatase Catalytic Activity, <i>Mol Cell Biol</i> , Vol 21, 1633-46 (2001)                    |
|      | A72 | Taylor, G. et al, Myotubularin, a protein tyrosine phosphatase mutated in myotubular myopathy, dephosphorylates the lipid second messenger, phosphatidylinositol 3-phosphate, <i>Proc Natl Acad Sci USA</i> , Vol 97, 8910-5 (2000)  |
|      | A73 | Walker, D. et al, Characterization of MTMR3: an inositol lipid 3-phosphatase with novel substrate specificity, <i>Current Biology</i> Vol 11, 1600-5 (2001)  |
|      | A74 | Maehama, T. et al, A Sensitive Assay for Phosphoinositide Phosphatases, <i>Anal Biochem</i> , Vol 279, 248-50 (2000)   |
|      | A75 | Taylor, G. et al, Myotubularin, a protein tyrosine phosphatase mutated in myotubular myopathy, dephosphorylates the lipid second messenger, phosphatidylinositol 3-phosphate, <i>PNAS</i> , Vol 97, 8910-8915 (2000)   |
|      | A76 | Prestwich, G. et al, In situ detection of phospholipid and phosphoinositide metabolism, <i>Advan Enzyme Regul</i> , Vol 42, 19-38 (2002)   |
|      | A77 | Thomas, C. et al, Generation of phosphatidylinositol-specific antibodies and their characterization, <i>Biochemical Society Trans</i> , Vol 27, 648-52 (1999)  |
|      | A78 | Yokogawa, T. et al, Evidence that 3'-phosphorylated polyphosphoinositides are generated at the nuclear surface: use of immunostaining technique with monoclonal antibodies specific for PI 3,4-P <sub>2</sub> , <i>FEBS Lett</i> , Vol 473, 222-6 (2000)                     |
|      | A79 | Kavran, J. et al, Specificity and Promiscuity in Phosphoinositide Binding by Pleckstrin Homology Domains, <i>J Biol Chem</i> , Vol 273, 30497-508 (1998)   |
|      | A80 | Ferguson, K. et al, Structure of the High Affinity Complex of Inositol Trisphosphate with a Phospholipase C Pleckstrin Homology Domain, <i>Cell</i> , Vol 83, 1037-46 (1995)   |
|      | A81 | Rebecchi, M. et al, Pleckstrin Homology Domains: A Common Fold with Diverse Functions, <i>Annu Rev Biophys Biomol Struct</i> , Vol 27, 503-28 (1998)   |
|      | A82 | Ferguson, K. et al, Structure of the High Affinity Complex of Inositol Trisphosphate with a Phospholipase C Pleckstrin Homology Domain, <i>Cell</i> , Vol 83, 1037-46 (1995)   |
|      | A83 | Stenmark, H. et al, FYVE-finger proteins – effectors of an inositol lipid, <i>J Cell Science</i> , Vol 112, 4175-83 (1999)   |
| ▼    | A84 | Ago, T. et al, The PX Domain as a Novel Phosphoinositide-Binding Module, <i>Biochem Biophys Res Commun</i> , Vol 287, 733-8 (2001)   |
| /GC/ | A85 | Dowler, S. et al, Identification of pleckstrin-homology-domain-containing proteins with novel phosphoinositide-binding specificities, <i>Biochem J</i> , Vol 351, 19-31 (2000)   |

|   |  |                              |                          |
|---|--|------------------------------|--------------------------|
| PTO-1449                                    | U.S. DEPARTMENT OF COMMERCE<br>PATENT AND TRADEMARK OFFICE | ATTY. DOCKET NO.<br>22156.NP | SERIAL NO.<br>10/712,073 |
| <b>LIST OF PRIOR ART CITED BY APPLICANT</b> |  | APPLICANT                    | Beth E. Drees, et al     |
|   |  | FILING DATE<br>11/13/2003    | GROUP<br>1641            |

|      |      |  |
|------|------|--|
| /GC/ | A86  | Thomas, C. et al, Crystal structure of the phosphatidylinositol 3,4-bisphosphate-binding pleckstrin homology (PH) domain of tandem PH-domain-containing protein 1 (TAPP1): molecular basis of lipid specificity, <i>Biochem J</i> , Vol 358, 287-94 (2001) |
|      | A87  | Beaudet, L. et al, Homogeneous Assays for Single-Nucleotide Polymorphism Typing Using AlphaScreen, <i>Genome Res</i> , Vol 11, 600-8 (2001)  |
|      | A88  | Latif, S. et al, Fluorescence Polarization in Homogeneous Nucleic Acid Analysis II: 5'-Nuclease Assay, <i>Genome Res</i> , Vol 11, 436-40 (2001)   |
|      | A89  | Nielsen, K. et al, Fluorescence Polarization Immunoassay: Detection of Antibody to <i>Brucella abortus</i> , <i>Methods</i> , Vol 22, 71-6 (2000)  |
|      | A90  | Grys, E. et al, Measurement of proteases in human subgingival dental plaque by fluorescence polarization, <i>Archives Oral Biol</i> , Vol 45, 1101-6 (2000)  |
|      | A91  | Economic Consequences of Diabetes Mellitus in the U.S. in 1997, American Diabetes Association. <i>Diabetes Care</i> , Vol 21, 296-309 (1998)   |
|      | A92  | Maehama, T. et al, PTEN and Myotubularin: Novel Phosphoinositide Phosphatases, <i>Ann Rev Biochem</i> , Vol 70, 247-79 (2001)  |
|      | A93  | Bolino et al, Charcot-Marie-Tooth type 4B is caused by mutations in the gene encoding myotubularin-related protein-2, <i>Nature Genetics</i> , Vol 25, 17-9 (2000)   |
|      | A94  | Pope, A. et al, Homogeneous fluorescence readouts for miniaturized high-throughput screening: theory and practice, <i>Drug Discovery Today</i> , Vol 4, 350-362 (1999)   |
|      | A95  | Seifert, R. et al, PTPRQ is a novel phosphatidylinositol phosphatase that can be expressed as a cytoplasmic protein or as a subcellularly localized receptor-like protein, <i>Exp Cell Res</i> , Vol 287, 374-386 (2003)                                   |
|      | A96  | Ono, H. et al, Regulation of Phosphoinositide Metabolism, Akt Phosphorylation, and Glucose Transport by PTEN (Phosphatase and Tensin Homolog Deleted on Chromosome 10) in 3T3-L1 Adipocytes, <i>Molecular Endocrinology</i> , Vol 15, 1411-1422 (2001)     |
|      | A97  | Mosser, V. et al, PTEN Does Not Modulate GLUT4 Translocation in Rat Adipose Cells under Physiological Conditions, <i>Biochem Biophys Res Commun</i> , Vol 288, 1011-1017 (2001)  |
|      | A98  | Laporte, J. et al, A gene mutated in X-linked myotubular myopathy defines a new putative tyrosine phosphatase family conserved in yeast, <i>Nature Genetics</i> , Vol. 13, 175-82, (1996)  |
|      | A99  | Laporte, J. et al, Characterization of the myotubularin dual specificity phosphatase gene family from yeast to human, <i>Human Molecular Genetics</i> , Vol 7, 1703-12 (1998)  |
|      | A100 | Gray, A. et al, Nonradioactive methods for the assay of phosphoinositide 3-kinases and phosphoinositide phosphatases and selective detection of signaling lipids in cell and tissue extracts, <i>Analytical Biochem</i> , Vol 313, 234-245 (2003)          |
|      | A101 | Ijuin, T. et al, Identification and Characterization of a Novel Inositol Polyphosphate 5-Phosphatase, <i>J Biol Chem</i> , Vol 275, 10870-10875 (2000)   |
|      | A102 | Klarlund, J. et al, Signaling by Phosphoinositide-3, 4,5-Trisphosphate Through Proteins Containing Pleckstrin and Sec7 Homology Domains, <i>Science</i> , Vol 275, 1927-30 (1997)  |
|      | A103 | Marion, E. et al, The Gene INPPL1, Encoding the Lipid Phosphatase SHIP2, Is a Candidate for Type 2 Diabetes In Rat and Man, <i>Diabetes</i> , Vol 51, 2012-17 (2002)   |
|      | A104 | Buj-Bello, A. et al, The lipid phosphatase myotubularin is essential for skeletal muscle maintenance but not for myogenesis in mice, <i>Proc Natl Acad Sci USA</i> , Vol 99, 15060-5 (2002)  |
| ▼    | A105 | Gaudet, E. et al, A Homogeneous Fluorescence Polarization Assay Adaptable for a Range of Protein Serine/Threonine and Tyrosine Kinases, <i>J Biomol Screening</i> , Vol 8, 164-175 (2003)  |
| /GC/ | A106 | Ijuin, T. et al, SKIP Negatively Regulates Insulin-Induced GLUT4 Translocation and Membrane Ruffle Formation, <i>Mol Cell Biol</i> , Vol 23, 1209-1220 (2003)  |

|   |  |                                |                          |
|---|--|--------------------------------|--------------------------|
| PTO-1449                                    | U.S. DEPARTMENT OF COMMERCE<br>PATENT AND TRADEMARK OFFICE | ATTY. DOCKET NO.<br>22156.NP   | SERIAL NO.<br>10/712,073 |
| <b>LIST OF PRIOR ART CITED BY APPLICANT</b> |  | APPLICANT Beth E. Drees, et al |                          |
|   |  | FILING DATE<br>11/13/2003      | GROUP<br>1641            |

|          |               |   |
|----------|---------------|---|
| /GC/     | A101          | Kowski, T. et al, Fluorescence Polarization is a Useful Technology for Reagent Reduction in Assay Miniaturization, <i>Comb Chem High Throughput Screen</i> , Vol 3, 437-44 (2000)                                 |
| /GC/     | A108          | Blondeau, F. et al, Myotubularin, a phosphatase deficient in myotubular myopathy, acts on phosphatidylinositol 3-kinase and phosphatidylinositol 3-phosphate pathway, <i>Hum Mol Genet</i> , Vol 9, 2223-9 (2000) |
| /GC/     | A109          | Luo, J-M et al, Possible dominant-negative mutation of the SHIP gene in acute myeloid leukemia, <i>Leukemia</i> , Vol 17, 1-8 (2003)  |
| /GC/     | A110          | Oganesian, A. et al, Protein tyrosine phosphatase RQ is a phosphatidylinositol phosphatase that can regulate cell survival and proliferation, <i>Proc Natl Acad Sci USA</i> , Vol 100, 7563-7568 (2003)           |
| EXAMINER | /Gary Counts/ | DATE CONSIDERED<br>06/08/2007   |

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication with applicant.